

Legendfires

Product Catalogue 2025/2026





HANDBUILT IN LANCASHIRE

Established in 1996, Legend Fires has become a prominent name in the manufacture of gas, electric, and solid fuel appliances. Our dedication to quality and innovation has earned us numerous awards, solidifying our reputation for producing exceptional fires. Each product is carefully crafted in our Blackburn, Lancashire factory, ensuring top-notch quality and durability that our customers can rely on.

Our commitment to excellence extends beyond our products. At Legend Fires, we pride ourselves on delivering industry-leading customer service, a fact reflected in our "Excellent" rating on Trust pilot. Our knowledgeable and friendly team is always ready to provide expert guidance and support, ensuring our customers find the perfect heating solution to meet their needs. From the initial inquiry to after-sales service, we aim to exceed expectations at every turn.


In addition to our unwavering focus on quality and service, each product in this brochure proudly carries UKCA approval, meeting stringent safety and performance standards. Backed by a comprehensive 5-year warranty, our appliances offer peace of mind and long-lasting satisfaction. Whether you prefer the elegance of a gas fire, the convenience of an electric fire, or the traditional charm of a solid fuel fire, Legend Fires has a range of award-winning options designed to enhance any home.













Trusted Retailer Network

At Legend Fires, we understand the importance of accessibility and convenience, which is why we have established a trusted retailer network across the country. Our carefully selected partners are experts in our range of gas, electric, and solid fuel appliances, ensuring that you receive knowledgeable advice and personalized service. By working with these reputable retailers, we can guarantee that our products are available to you wherever you are, and that you have access to the best possible support and guidance when choosing the perfect fire for your home.

In addition to our extensive retailer network, we offer a comprehensive 5-year warranty on all our products, underscoring our commitment to quality and customer satisfaction. This robust warranty provides peace of mind, knowing that your investment is protected against manufacturing defects and performance issues. At Legend Fires, we stand behind every product we create, ensuring that you can enjoy the warmth and ambiance of our award-winning fires with confidence and assurance.







BUILT TO LAST

The Legend Range of gas fires epitomizes timeless elegance with its classic design, offering a seamless complement to any interior decor. Crafted for versatility, these fires stand as a pinnacle of quality and choice, boasting complete customizability to suit individual preferences. Each piece within this range is meticulously hand crafted to order at our Lancashire factory. With over 1000 different configurations available, customers have the freedom to personalise their fireplaces, allowing for a unique and tailored addition to their homes. Weather seeking traditional charm or a modern twist, the Legend Range embodies superior craftsmanship and versatility, offering sophisticated and customizable heating solution for any space.



CONTENTS

L 3 5 7 1 1 3
3 7 1 1
3 7 1 1
5 7 1 1
7 L
) L 3
L 3
3
5
7
7
)
3
)
3
5
1
3
5
7
9
1
3 5
9 L 3

Legend Fires Brochure 2025.indd 7 30/01/2025 14:32

VANTAGE

Open fronted inset gas fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Coal, Ripped Coal, Modular Coal, Deluxe Pebble, Driftwood, Logs

Control Options

Manual Control, Slide Control & Remote Control

Interior Options


Plain, Ribbed, Brick


Frame Options

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Low lintel conversion, cast conversion, 1" Spacer, 2" Spacer









VANTAGE 4 SIDED

open fronted inset gas fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Coal, Ripped Coal, Modular Coal, Deluxe Pebble, Driftwood

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain, Brick

Frame Options

Chrome, Brushed, Black


Accessories

Black Backplate

Technical Drawings

4 sided frame

4 sided backplate





FULL LIST OF OPTIONS ON PAGE 33







open fronted convector fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Coal, Ripped Coal, Modular Coal, Deluxe Pebble, Driftwood

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain


Frame Options


Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Cast conversion, 1" Spacer, 2" Spacer

Technical Drawings







FULL LIST OF OPTIONS ON PAGE 33

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING	
6.9kW	4.1kW	67%	F A	



VIRAGE 4 SIDED

open fronted convector fire

Fuel Type

Gas (NG)



Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Coal, Ripped Coal, Modular Coal, Deluxe Pebble, Driftwood

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain

Frame Options

Chrome, Brushed, Black


Accessories

Black Backplate

Technical Drawings

4 sided frame

4 sided backplate





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
6.9kW	4.1kW	67%	F G







EVORA CF



glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Modular Coal, Modular Pebble

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain


Frame Options


Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Cast Conversion, 1" Spacer, 2" Spacer

Technical Drawings







FULL LIST OF OPTIONS ON PAGE 33

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	3.3kW	81%	D A





EVORA CF 4 SIDED

glass fronted HE fire

Fuel Type

Gas (NG)



Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Modular Coal, Modular Pebble

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain

Frame Options

Chrome, Brushed, Black


Accessories

Black Backplate

Technical Drawings

4 sided frame

4 sided backplate





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING	
5.5kW			D A	





EVORA BF



glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Balanced Flue

Fuel Bed Options

Modular Coal, Modular Pebble

Control Options

Manual Control & Remote Control

Interior Options

Plain


Frame Options


Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Flue Extension (312mm), 1" Spacer, 2" Spacer

Technical Drawings







INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	3.6kW	88%	C A



EVORA BF 4 SIDED

glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Balanced Flue

Fuel Bed Options

Modular Coal, Modular Pebble

Control Options

Manual Control & Remote Control

Interior Options

Plain

Frame Options

Chrome, Brushed, Black

Accessories


Black Backplate, Flue Extension (312mm), 1" Spacer, 2" Spacer

Technical Drawings

4 sided frame

4 sided backplate

HighEfficiency





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING		
5.5kW	3.6kW	88%	C G		









glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick


Frame Options


Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Mains Adaptor, Flue Collar Extension, Hearth Mounting Kit

Technical Drawings







FULL LIST OF OPTIONS ON PAGE 33

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING	
5.5kW	4.0kW	81%	D A	



SPIRIT

open fronted inset gas fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I, Class II & Precast)

Fuel Bed Options

Coal, Pebble, Deluxe Pebble, Modular Coal, Modular Pebble

Control Options

Manual Control, Slide Control & Remote Control

Interior Options

Plain


Frame Options

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Cast conversion, 4-sided backplate, 1" Spacer, 2" Spacer

Technical Drawings





FULL LIST OF OPTIONS ON PAGE 33

 25_{ISpirit} Legend Fires



SPIRIT SUPERSLIM

open fronted inset gas fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I, Class II & Precast)

Fuel Bed Options

Coal, Pebble, Deluxe Pebble, Modular Coal, Modular Pebble

Control Options

Manual Control, Slide Control & Remote Control

Interior Options


Plain


Frame Options

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Black/Nickel XL, Chrome/Nickel XL, V2 Brushed, V2 Black, V2 Chrome, Black/Nickel V2, Black/Chrome V2, Full Black Nickel

Accessories

Cast conversion, 4 Sided Backplate, 1" Spacer









HERITAGE

inset gas tray

Fuel Type

Gas (NG)

Flue Type


Conventional Flue (Class I, Class II)


Fuel Bed Options

Coal

Control Options

Manual Control







WRAITH

inset electric fire

Fuel Type

Electric

Control Options

Manual Control, Remote Control

Heat Output

1kW & 2kW

Fuel Bed Options

Coal, Pebble, Logs, Real Logs

Control Options

Manual Control


Frame Options

V2 Brushed, V2 Chrome, V2 Black, V2 Black/Black Nickel, V2 Chrome/Black Nickel

Accessories

 31_{IWraith} Legend Fires

Matching Canopy, 1" Spacer, 2" Spacer, 3" Spacer







LEGEND RANGE OPTIONS

FASCIAS







V2 Chrome V2 Brushed





V2 Black/Black Nickel

V2 Chrome/Black Nickel

FRAMES

 $33_{\text{Legend Range Options}}$ Legend Fires





FRETS



FUEL BEDS



LINERS



Plain Ribbed Brick



Product	16" Vantage	16" Low Lintel Vantage	Virage	Evora CF	Evora BF	Spirit	Spirit Superslim
Flue Types							
Class I	YES	YES	YES	YES	N/A	YES	YES
Class II	YES	YES	YES	YES	N/A	YES	YES
Precast Flue	NO	NO	NO	YES	NO	YES	YES
Balanced Flue	NO	NO	NO	NO	YES	NO	NO
Heat Output (kW)							
High	-	-	4.6	3.3	3.6	-	-
Low	-	-	2.5	1.8	1.1	-	-
Heat Input (kW) gross							
High	6.9	6.9	6.9	4.6	4.5	6.2	5.5
Low	4.2	4.2	4.2	2.5	2.5	4	5.6
Gas Type							
Natural Gas	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Vantage/Spirit/Superslim figures quoted are indicative

No additional ventilation is usually required with the above appliances that are rated less than 7kw

We recommend that a fire-guard be used where children, the elderly and infirm are present Legend Fires Policy is one of constant development

We reserve the right to change the design and specification of our a without formal notice

All Legend Fires products are fitted with Oxygen Depletion sensing pilots and Flame Supervision Device as standard

We recommence that all Legend Products are installed and annually serviced by a Gas Safe Registered installers

Curious about running costs?

Find out how affordable warmth can be with our running cost calculator.



Need Help? Get In touch.

Telephone - 01254 695244 Email - info@legend-fires.com Instagram - instagram.com/legendfires



scan the QR code to visit our website











LUXURY SIMPLIFIED

At the heart of each NERO lies simplicity and convenience. Seamlessley controlled by a user friendly remote system offering an effortless way to create ambiance and comfort at your fingertips.

Crafted with attention to detail, the NERO range features a genuine oak log fuel bed, individually crafted for each fire. This bespoke approach ensures not only a striking aesthetic but also a unique authentic feel for each fire, bringing a touch of natural beauty into your home.

In every aspect the NERO range embodies our dedication to quality, craftsmanship and innovation. We invite you to immerser yourself in the sophistication and warmth of our electric fires.



NERO 1500

media wall electric fire

Fuel Type

Electric


Heat Output 1kW & 2kW


Fuel Bed Options

Real logs, ceramic logs

Control Options Remote Control

Technical Drawings







 $39_{\mbox{\scriptsize NERO 1500}}$ Legend Fires



NERO 1200

media wall electric fire

Fuel Type

Electric

Heat Output 1kW & 2kW


Fuel Bed Options


Real logs, ceramic logs

Control Options

Remote Control

Technical Drawings







 $41_{\mathsf{NERO\ 1200}}$ Legend Fires



NERO 780


media wall electric fire


Fuel Type
Electric
Heat Output
1kW & 2kW

Fuel Bed Options Real logs, ceramic logs

Control Options
Remote Control

Technical Drawings







 $43_{\mathsf{INERO\,780}\,\mathsf{Legend\,Fires}}$



NERO 780S

Fuel Type

Electric

Heat Output 1kW & 2kW


Fuel Bed Options

Real logs, ceramic logs

Control Options

Remote Control

Technical Drawings










Product	NERO 1500	NERO 1200	NERO 780	NERO 780S
Fuel Type				
Electric	YES	YES	YES	YES
Heat Output (kW)				
High	2	2	2	-
Low	1	1	1	-
Fuel Bed Options				
Real Logs	YES	YES	YES	YES
Ceramic Logs	YES	YES	YES	NO
Configuration				
1 sided	YES	YES	YES	YES
2 sided	YES	YES	YES	YES
3 sided	YES	YES	YES	YES

TV Size guide

When you choose a NERO for your TV or media wall, there are numerous installation possibilities. Selecting the right size for both your NERO electric fire and your TV will depend on the available space and your personal preferences. TV sizes can vary across manufacturers, and how your TV is installed (such as in a recessed cavity) will influence its appearance in relation to the fire. This guide offers general recommendations for pairing TVs with NERO landscape fires, but your trusted retailer can help you achieve the ideal look by considering the entire installation.

Product	TV size (A)
NERO 1500	55"-75"
NERO 1200	50"-65"
NERO 780	32"-45"
NERO 780s	32"-45"









BEAUTIFUL SIMPLICITY

An epitome of versatile luxury and inspired by the elegance of Nordic design. Offering a plethora of configurations and an array of interior and frame options, each fire within the Ethos range is a testament to customization and sophistication.

Crafted meticulously by hand and rigorously tested at our Lancashire headquarters, these fires bear the hallmark of quality and precession. The Ethos range proudly features a log fuel bed as standard, perfectly complementing its premium appeal while excluding a sense of natural beauty.

Engineer for excellence, these fires boast high efficiency and outstanding performance, ensuring not only an exquisite aesthetic but also practical warmth and comfort for any space.











ETHOS LANDSCAPE

glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick


Frame Options


Landscape Black, Flat Black, Chrome/Black Nickel, Flameless Edge Kit, Profile Satin, Profile Bronze, Profile Black

Accessories

Mains Adaptor, Flue Collar Extension

Technical Drawings





HighEfficiency

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
6.0kW	4.7kW	87%	C A



Ethos Landscape, Natural Interior, Logs, Black Landscape Frame

ETHOS PORTRAIT

glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick


Frame Options


Framless Edge Kit, Flat Black

Accessories

Mains Adaptor, Flue Collar Extension

Technical Drawings





HighEfficiency

Technical Information

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
7.4kW	5.5kW	82%	D A

 53_{lEthos} Portrait Legend Fires



ETHOS SUPER PORTRAIT

HighEfficiency

glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick


Frame Options

Framless Edge Kit, Flat Black


Accessories

Mains Adaptor, Flue Collar Extension

Technical Drawings



INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
7.4kW	5.2kW	78%	D A



ETHOS 550



glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick

Frame Options


Landscape Black, Chrome/Nickel, Flameless Edge Kit,

Profile Black

Accessories

Mains Adaptor, Flue Collar Extension

Technical Drawings



INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.0kW	81%	D A



ETHOS 400



glass fronted HE fire

Fuel Type

Gas (NG)

Flue Type

Conventional Flue (Class I & Class II)

Fuel Bed Options

Log

Control Options

Remote Control

Interior Options

Natural, Black, Black Glass, Brick


Frame Options


Flameless Edge Kit, Flat Black

Accessories

Mains Adaptor, Flue Collar Extension

Technical Drawings





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.0kW	81%	D A



ETHOS RANGE OPTIONS

FRAMES

LANDSCAPE



Landscape Black



Flameless Edge Kit

PORTRAIT



Flameless Edge Kit



Flat Black



Profile Black

400



Flat Black





Landscape Black



Flat Black



Profile Black

FUEL BEDS



Logs



Deluxe Logs

INTERIORS







Black




Rustic Brick



Black Glass

Technical Specifications



855



Product (Ethos)	Landscape	Portrait	S Portrait	550	400
Efficiency	87%	82%	78%	81%	81%
Flue Types					
Class I	YES	YES	YES	YES	YES
Class II	YES	YES	YES	YES	YES
Precast Flue	NO	NO	NO	NO	NO
Controls					
Remote Control	YES	YES	YES	YES	YES
Heat Output kW					
High	4.7	5.5	5.2	4	4
Low	1.9	1.8	1.7	1.4	1.4
Heat Input kW					
High	6.0	7.4	7.4	5.5	5.5
Low	2.5	2.5	2.5	1.9	1.9
Gas Type					
Natural Gas	Yes	Yes	Yes	Yes	Yes

No additional ventilation is usually required with the above appliances that are rated less than 7kw. The Super Portrait does not need any additional ventilation

We recommend that a fire-guard be used where children, the elderly and infirm are present Legend Fires Policy is one of constant development

We reserve the right to change the design and specification of our a without formal notice

All Legend Fires products are fitted with Oxygen Depletion sensing pilots and Flame Supervision Device as standard

We recommence that all Legend Products are installed and annually serviced by a Gas Safe Registered installers



MANTRA



wood burning stove

Fuel Type

Solid Fuel

Flue Type

Conventional Flue (Class I & Class II)

Control Options

Adjustable air control


Interior Options


Vermiculite


Accessories

Direct air feed

Technical Drawings







Technical Information

OUTPUT	EFFICIENCY	FLUE DIAMETER
5.0kW	79%	5"

Distance to Combustibles

REAR WALL	SIDE WALL	FRONT
100MM	300MM	1200MM







