HENLEY® STOVES

EVERY HOME DESERVES A HENLEY





Henley Stoves is one of the fastest growing stove brands in both Ireland and the UK.

At Henley we are committed to providing quality products at affordable prices backed up with a market leading focus on customer service.

From factory floor to family home, our customers are our first priority.

We pride ourselves on using new designs, new technology and new environmentally friendly standards to ensure we are a market leader in the provision of the latest quality affordable stoves.

We service a range of customers across Ireland and the UK from our distribution centres in South West Ireland, Dublin and Cambridgeshire in the UK.

We have a range of products from traditional wood burning stoves to a wide and exclusive range of bio-ethanol stoves.

Henley has been at the heart of homes across Ireland and the UK since 1989.



BERTONERI

Henley Stoves is also the producer of the Bertoneri Collection of Stone, Marble Surrounds & Fireplace Accessories.

Ask your local Henley Stockist about the Bertoneri Fireplace Collection Today

www.henleystoves.com

sales@henleystoves.com

HENLEY[®] STOVES

		Freestanding Conection				UO
06	•	Aran eco Range	16	•	Elmwood eco	
80	•	Ascot eco Range	18	•	Bracken eco	
10	•	Leaf	19	•	Ash eco	
11	•	Thames eco	20	•	Sherwood eco Range	
12	•	Dunloe eco	22	•	Sherwood Double Side	
13	•	Alderwood eco	23	•	Hazelwood Double Side	
14	•	Burnbright eco	24	•	Druid eco	
15	•	Willow eco	25	•	Porto Door	
		Insert & Cassette Collection	n			26
26	•	Muckross eco	30	•	Athens Range	
27	•	Arklow eco	32	•	Eco c400 / c550	
28	•	Achill eco	33	•	Lagos Range	
29	•	Elmwood eco	34	•	Portimao Range	
		Outdoor Stoves Collection				35
35	•	Thor 12				
		Pellet Stoves Collection				36
36	•	BIO80Q - Pellet	38	•	Elm 8 - Pellet	
37	•	Elm 4 - Pellet	39	•	Elm 11 - Pellet	
		Boiler Stoves Collection				40
40		Elm 20 - Pellet	44		Sherwood Range	
41		Achill 17.5	45		Portimao 21	
42	•	Druid Range	73		Tortimao 21	
		Stove & Fireplace Accessori	ec			46
		·	Co			-10
46	•	Natural Stone Tiles	48	•	Stove Hearths	
47	•	Wood-Effect Beams				
	ı	Stove Dimensions				50

Please note that images of installations within this brochure may not conform to British and Irish building regulations. All images are used for illustration purposes only. Please consult with a qualified professional installer (HETAS registered in the United Kingdom & Republic of Ireland) for expert advice including the requirement for a hearth in your home. Images contained within this brochure are Copyright 2025 of Henley Stoves.



SIA ECO-DESIGN READY

A Henley stove with this icon is a stove which meets the future EU Standards established in 2022.



EUROPEAN STANDARD

European Standard of testing for stoves fired by solid fuel, incorporating corrigenda September 2003, June 2006 and August 2007.



clearSkies Levels explanation

A clearSkies label means you can be assured that the Henley stove meets all the energy and efficiency criteria, and the different levels allow you to identify how far beyond Ecodesign criteria they go in terms of reducing emissions and increasing efficiency.



Ecodesign compliant but not listed as Defra exempt.



15% improvement on Ecodesign; and Defra exempt.



Ecodesign compliant (e.g. previous SIA Ecodesign Ready) and Defra exempt.



15% improvement in emission & efficiency performance on Level 4; And Defra exempt.



5 YEAR WARRANTY

Henley stoves come with a 5 year warranty on the body of the stove.



EXTERNAL AIR

A Henley stove has an external air facility allowing the air to come directly from outside your building rather than through a vent in the room. This is required for heat recovery systems in new build projects.



ECO DESIGN READY 2022

All Henley Ecodesign stoves in this brochure are stamped with our Ecodesign Ready 2022 logo.



CLEAN BURN

A Henley stove has an tertiary air system. This creates a clean-burn system where hot air is pushed into the firebox above the normal height of the fire. This allows the excess gases to combust giving a cleaner burn.



WOOD BURNING

This icon denotes that this Henley stove uses Wood Fuel only.



AIR-WASH

All Henley stoves come with an air- wash system which helps to keep the glass clean. It uses a specially placed vent or vents to draw in air from the outside which will wash over the front of the glass.

eco design Ready Comparisons



90% LESS

Particulated emissions compared to an open fire

70% CHEAPER

60% MORE

To run than an open fire

Efficient than an open fire











5 Logs

To produce 4kWh of heat over 5 hours



*Kiln dried hardwood

A & A+ Energy rating

HENLEY eco design STOVE

16 Logs*

To produce 4kWh of heat over 5 hours



000000

*Kiln dried hardwood

G Energy rating

OPEN FIREPLACE



To produce 4kWh of heat over 5 hours





*Kiln dried hardwood

B Energy rating

10 YEAR OLD STOVE

*Efficiency based on a Henley Sherwood 5kW stove. Data from Stove Industry Alliance. Figures correct at the time of print - Dec 2023







ARAN

The Aran 5kW Eco, Henley Multi Fuel stove has been a customer favourite since its introduction. Boasting a timeless, traditional design, it enhances any interior while delivering exceptional performance, with an impressive A+ energy rating and achieving up to 85% efficiency, it combines style, warmth, and performance seamlessly.

It is available in a variety of enamel colours. Matt Black, Enamel Black and Enamel Cream.

FREESTANDING

OUTPUT:

5.0kW

EFFICIENCY:

84.8%

ENERGY CLASS:

A+

FINISH AVAILABLE:

Matt Black

Enamel Black

Enamel Cream

FEATURES













DIMENSIONS WIDTH 125 Aran 5 - freestanding 586 470





ASCOT

FREESTANDING

The Ascot Eco, Henley Multi Fuel Stove is the perfect fit for any classic-style home. It features a 5kW or 8kW option and is multifuel so you can easily switch up your fuel choice. With a remarkable up to 82.5% efficiency rate, it's sure to keep your home toasty through the cooler months. The air-wash keeps the glass clean and clear, giving you the perfect view of the blazing fire. The freestanding design makes it easy to place in any room, and the External Air allows for an efficient and healthy heating system.

OUTPUT:

5kW, 8kW

EFFICIENCY:

5kW = 82.5% 8kW = 79.4%

ENERGY CLASS:

8kW

Matt Black

FEATURES





FINISH AVAILABLE:







DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Ascot 5 - freestanding	559	382	361	125	
Ascot 8 - freestanding	600	490	380	125	



LEAF

The Leaf – a stove with a steel body and a cast iron door that delivers outstanding efficiency and environmental performance. This woodburner, with a heat output of 4.9kW and efficiencies reaching up to 79.8%, is the perfect solution for keeping your home warm and cosy while also being environmentally friendly. Its durable steel body and cast iron door ensure that it will last for years to come, while its sleek design adds a touch of elegance to any room.



FREESTANDING

OUTPUT: 4.9kW EFFICIENCY: 79.8% ENERGY CLASS: FINISH AVAILABLE: Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Leaf 4.9kW - freestanding	500	420	335	125	

THAMES

The Thames, Henley Multi Fuel Stoves are the perfect heat source for any classic home. This freestanding stove is multifuel with a maximum heat output of 5kW, and an 80.7% efficiency that heats your home quickly and efficiently. The air-wash system ensures that your stove's viewing window stays clean whilst giving you a clear view of the fire. The Thames, Henley stove is the perfect match for any traditional home décor style.

FREESTANDING

EFFICIENCY: 80.7%

MULTIFUEL

5.1kW

ENERGY CLASS:

OUTPUT:

A+ FINISH AVAILABLE: Matt Black

FEATURES CE OF CEAN

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Thames 5 - freestanding	495	430	339	125	





DUNLOE

The Dunloe stove is the perfect addition to any home seeking warmth and style. With an impressive 5.1kw output and 83% efficiency rating, this stove is not only stylish but also highly functional. Its classic design with a cast iron body and door in a sleek matt black finish will add charm and character to your living space. Plus, it's energy-efficient with an A+ energy rating and can burn multiple fuel types. The airwash feature helps to keep the glass clear for maximum viewing pleasure while also minimizing maintenance.

FREESTANDING

OUTPUT: 5.1kW

EFFICIENCY: 83%

ENERGY CLASS: A+

FINISH AVAILABLE: Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Dunloe 5.1kW - freestanding	617	438	359	125	

ALDERWOOD

The new Alderwood room heater is Eco Design Ready with an efficient 6.7kW heat output.

A matt black finish and clean design paired with its high performance make this model a perfect choice for any fireside setting.

FREESTANDING

OUTPUT:

EFFICIENCY: 78.7%

ENERGY CLASS:

FINISH AVAILABLE:

Matt Black

6.7kW

FEATURES



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Alderwood 6.7kW - freestanding	623	550	335	125	






BURNBRIGHT

The Burnbright delivers 6.7kW of heat to the room with crystal clear burn and remarkable control. Purposely designed to maximize the view of the fire, the minimal styling of the Burnbright fits comfortably into any fireside situation.

The Burnbright also includes the option to add a convenient log-store feature.



*A separate Logstore is available.

FREESTANDING

OUTPUT:

EFFICIENCY:

ENERGY CLASS:

A

FINISH AVAILABLE:

Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Burnbright Multifuel 6.7kW - freestanding	623	550	335	125	
Logstore - freestanding	322	550	330		

WILLOW

The Willow room heater is Eco Design Ready with a 6.7kW heat output. The simplicity of the matt black finish combined with the contemporary design makes this model a popular choice for new builds.

FREESTANDING

OUTPUT:

EFFICIENCY:

ENERGY CLASS:

A

6.7kW

78.7%

FINISH AVAILABLE:



Matt Black

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Willow 6.7kW - freestanding	623	550	335	125	





ELMWOOD

FREESTANDING

Experience the perfect blend of classic and modern design with the new Elmwood room heater. Designed with an Eco Design, this heater boasts an impressive 4.9kW and 6,7kW heat output and high efficiencies, ensuring that your living space is always warm and cosy. The Victorian design, finished in elegant matt black, adds a touch of sophistication to any room, while the large viewing glass provides sensational fireside views. The Elmwood room heater is the perfect addition to your home.

OUTPUT:

4.9kW, 6.7kW

EFFICIENCY:

4.9kW = 78.3% 6.7kW = 78.7%

ENERGY CLASS:

FINISH AVAILABLE:

Matt Black

FEATURES













DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elmwood Compact 4.9kW - freestanding	574	444	310	125	
Elmwood Multifuel 6.7kW - freestanding	683	574	335	125	



OUTPUT:

EFFICIENCY:

ENERGY CLASS:



BRACKEN

The Bracken 8kW multi fuel stove encompasses both traditional design and modern technology. Its double combustion system allows for great fuel efficiency along with excellent air control.

Its separate ash door allows for easy cleaning.

FREESTANDING

7.9kW

76.4%

, A

FINISH AVAILABLE: Matt Black

FEATURES

CEAN OF GRAPE

CRAFT

DIMENSIONSHEIGHTWIDTHDEPTHFLUEBracken 8kW - freestanding581520355125

ASH

The new Ash 8kW is a stunning multi-fuel stove that combines advanced performance with a new elegant design.

The powerful 8.2kW output, efficiently heats your space while maintaining an eco-friendly A rating for energy efficiency.

Its multi-fuel capability ensures versatility, making it a perfect choice for modern homes looking for both style and sustainability.

FREESTANDING

OUTPUT:

8.2kW

EFFICIENCY:

79.5%

ENERGY CLASS:

Α

FINISH AVAILABLE:

Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Ash 8.2kW Eco - freestanding	638	510	359	125	





SHERWOOD

FREESTANDING



The Sherwood stove is the perfect blend of style and performance. With an output of 5kW or 8kW and an efficiency rating of up to 79.5%, this stove delivers warmth and comfort to your home. Class A energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. The Sherwood stove is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the air-wash system ensures a clear view of the fire.

*A separate Logstore is available for Sherwood 5.

OUTPUT: EFFICIENCY:

ENERGY CLASS:

FINISH AVAILABLE:

Matt Black

5kW, 8.2kW, 10.2kW

5kW = 77.9%

8.2kW = 79.5%

10.2kW=76.4%















DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Sherwood 5 - freestanding	559	382	362	125	
Sherwood 8 - freestanding	585	490	350	125	
Sherwood 12 - freestanding	630	540	390	153	
Logstore 5 - freestanding	210	370	315		

New Sherwood 10 DS, next page >





SHERWOOD

The Sherwood 10kW double sided stove is the perfect blend of style and performance. With an output of 10.1kW. The Class A energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. The Sherwood stove is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the airwash system ensures a clear view of the fire.

FREESTANDING

OUTPUT: 10.1 kW

EFFICIENCY: 76.7%

ENERGY CLASS: A

FINISH AVAILABLE: Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Sherwood 10 DS - freestanding	630	540	557	153	

HAZELWOOD

Introducing the Hazelwood 6.5kW double sided. These new wood-burners meet Henley's high environmental standards, ensuring a clean & efficient burn.

With the Hazelwood DS, you can be safe in the knowledge that you are heating your home with, one of the most reliable & Ecofriendly stoves in our range.

FREESTANDING

OUTPUT:

EFFICIENCY:

ENERGY CLASS:

A

FINISH AVAILABLE:

Matt Black





DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Hazelwood DS 6.5kW - freestanding	530	465	500	125	





DRUID

The Druid 12 stove is the perfect blend of style and performance. With an output of 10.2kW and an efficiency rating of up to 77%, this stove delivers warmth and comfort to your home. Class A energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. This is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the airwash system ensures a clear view of the fire.

FREESTANDING

OUTPUT: 10.2kW

EFFICIENCY: 76.4%

ENERGY CLASS: A

FINISH AVAILABLE: Matt Black



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Druid 12 - freestanding	639	540	390	153	

PORTO DOOR

The Porto stove door is a DIY door which can be added to your standard fireplace to help ensure you get the maximum efficiencies from your current fireplace without the need to install a room heater stove. The Porto stove door allows you to control the burn rate of your open fire and can be used in conjunction with your current back boiler increasing the output of your back boiler. With the Henley Porto stove door you can rest assured all the heat from your fire is being used efficiently.

Suitable for 16" or 18" openings

DIY STOVE DOOR

FINISH AVAILABLE:



FEATURES	
CE STER	&

DIMENSIONS	HEIGHT	WIDTH		
Porto Door	620	525		





MUCKROSS

The Muckross insert multi-fuel stove boasts an impressive 83.3% efficiency rating and is eco-design compliant. The air-wash system keeps the glass clear for an uninterrupted view of the flames, while its insert design allows it to fit most standard fireplace openings. The cast iron door adds both durability and elegance to this stove.

INSERT

OUTPUT: 4.6kW to 5kW

83.3%

ENERGY CLASS: A+

FINISH AVAILABLE: Matt Black

Enamel Black

FEATURES

CEAN OF GRATE

CLEAN OF GRATE

CONTROL

BACKBOX BACKBOX **BACKBOX DIMENSIONS** DEPTH **FLUE HEIGHT** WIDTH **WIDTH HEIGHT** DEPTH Muckross - insert 595 370 125 512 396 283

EFFICIENCY:

ARKLOW

The Arklow insert stove by Henley Stove is the perfect heating solution for your home. It's a multi-fuel stove with an impressive 79.2% efficiency rating. The Arklow is also environmentally friendly and eco-design compliant. The air-wash system ensures that the large viewing glass stays clean and clear. The Arklow stove fits most standard fireplace openings. The cast iron door ensures durability and elegance.

The Arklow Eco has been tested with distance to combustibles of 300mm to the top, which makes it suitable for use with most timber surrounds.

INSERT

OUTPUT:

EFFICIENCY:

ENERGY CLASS:

FINISH AVAILABLE:

4.6kW to 5kW

79.2%

Matt Black

Enamel Black


FEATURES















ACHILL

The Achill insert multi-fuel stove, a remarkably efficient and eco-conscious addition to your home.

With an impressive 80.2% efficiency rating, the Achill meets stringent eco-design standards, ensuring minimal environmental impact while providing exceptional heating performance. Its air-wash system effectively keeps the glass door clear, offering an unobstructed view of the dancing flames. The insert design seamlessly integrates into most standard fireplace openings, while the cast iron door exudes both durability and timeless elegance.

INSERT

OUTPUT: 7kW EFFICIENCY: 80.2% ENERGY CLASS: A+ FINISH AVAILABLE: Matt Black **Enamel Black**



ELMWOOD

The Elmwood insert multi-fuel stove is a highly efficient, eco-friendly, and stylish stove that is perfect for heating your home. It has an impressive 80.2% efficiency rating and is eco-design compliant. Its air-wash system effectively keeps the glass door clear, offering an unobstructed view of the dancing flames. The insert design seamlessly integrates into most standard fireplace openings, while the cast iron door exudes both durability and timeless elegance.

INSERT

EFFICIENCY:	80.2%
ENERGY CLASS:	A+
FINISH AVAILABLE:	Matt Black




DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	BACKBOX DEPTH
Achill Eco - insert	595	485	430	125	552	396	370

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	BACKBOX DEPTH
Elmwood Eco - insert	594	540	430	125	552	396	370

OUTPUT:





ATHENS

CASSETTE

The Athens 400, 500 multifuel Cassette Stoves are manufactured with beautiful steel construction & boast excellent burn control along with an 81% plus efficiency level. Sleek, modern design and a large viewing glass that is sure to turn heads in any home.

For proper functionality, this stove must be installed with external air.

The Athens Range comes as standard with a 4 Sided Glass Frame. A 3 sided frame is also available to order.

OUTPUT:

4.8kW, 6.2kW

EFFICIENCY:

4.8kW = 80.8% 6.2kW = 75.0%

ENERGY CLASS:

FINISH AVAILABLE:

4.8kW **A**+

6.2kW

Black Glass



DIMENSIONS	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
Athens 400 / 4.8kW - cassette	626	468	151	550	395
Athens 500 / 6.2kW - cassette	630	577	151	555	500





ECO C400 & C550

CASSETTE

The ECO C400 & C550 multifuel cassette is popular stove in the Henley collection. It boasts an excellent burn control along with an 82.2% plus efficiency level.

This model has a cover fitted to the back of the stove and will work as standard taking air from the room. If you require the stove to work with external air supply please remove the cover and fit the external air kit.

The Eco C. Range comes as standard with a 4 Sided Glass Frame. A 3 sided frame is also available to order.

OUTPUT:

EFFICIENCY:

5kW, 6.9kW

5kW = 82.2% 6.9kW = 75.8%

ENERGY CLASS:

5kW A+ 6.9kW

FINISH AVAILABLE:

Matt Black

FEATURES













LAGOS

The Lagos models are a range of multifuel Cassette Stoves manufactured in southern Portugal from steel and boast excellent burn control along with an 77% plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

The Lagos is available in 500, 600 models.

For proper functionality, this stove must be installed with external air.

CASSETTE

OUTPUT:

4.5kW, 6.5kW

EFFICIENCY:

4.5kW = 77.0% 6.5kW = 77.0%

ENERGY CLASS:

FINISH AVAILABLE:

Matt Black

FEATURES











DIMENSIONS	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
ECO C400 /5kW - cassette	663	512	125	552	400
ECO C550 / <mark>6.9kW</mark> - cassette	594	663	125	482	550

DIMENSIONS	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
Lagos 500 4.5kW - cassette	617	556	151	545	496
Lagos 600 6.5kW - cassette	617	656	151	545	596



OUTDOOR STOVE

PORTIMAO

The Portimao models are a range of Wood Burning Cassette Stoves manufactured in southern Portugal from steel and boast excellent burn control along with an 80% plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

The Portimao is available in 700, 900, 900DS and 21kW boiler models.

For proper functionality, this stove must be installed with external air.

CASSETTE

EFFICIENCY:

OUTPUT:

7.2kW = 77.0% 9.0kW = 77.0%

7.2kW, 9.0kW

ENERGY CLASS:

FINISH AVAILABLE:

Matt Black

FEATURES









DIMENSIONS	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
Portimao 700 / <mark>7.2kW</mark> - cassette	615	757	151	545	696
Portimao 900 / 9kW - cassette	615	955	151	545	896
Portimao 900 DS / 8kW - cassette	615	955	151	545	896

THOR 12

The Thor 12kW stove is an outdoor wood stove with elegant and sophisticated look. Its cube shape is complemented by a distinctive modular design featuring 4 glass panels. You can choose a version with a steel floor plate, handy for storing firewood.



OUTPUT:

FINISH AVAILABLE:



THOR 12

12kW

Corten Steel



THOR 12 WITH STEEL FLOOR PLATE BASE

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Thor 12kW	1000	550	550	125	
Thor 12kW With Steel Floor Plate Base	1000	550	550	125	





BIO 80Q ROUND

Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable ash drawer
- Painted steel covering
- Chimney protection system
- Enhanced thermal exchanger
- Intelligent heating system
- Safety on over-temperature of reservoir / stove & a weekly programmer with 4 on / 4 off daily time settings

The New Fair BIO Pellet Stoves from Henley are the most economical stoves in our range, reaching efficiency levels of between 91.5% & 93%.

PELLET STOVE

OUTPUT: 7.7kW

91% - 93.0%

ENERGY CLASS:

A+

Nero Black

Bordeaux Red

FEATURES

EFFICIENCY:

FINISH AVAILABLE:







*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
BIO 80Q Round / 7.7kW - freestanding	900	510	480	80	

ELM 4

Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- 4kg storage container for 4 to 13 hours of operating time without refilling
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional)

PELLET STOVE

OUTPUT:

EFFICIENCY:

ENERGY CLASS:

FINISH AVAILABLE:

A+

4kW

90%

Red



*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 4kW - freestanding	610	385	430	80	



OUTPUT:

EFFICIENCY:

ENERGY CLASS:

FINISH AVAILABLE:



ELM 8

Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- 18 kg storage container for 6 to 28 hours of operating time without refilling
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional)

New Elm 12kW, available soon!



PELLET STOVE

8kW

90.0%

A+

Black

Red

*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 8kW - freestanding	909	435	460	80	

ELM 11

Special features include:

- Reinforced steel structure
- Slide-out drawer for easy pellet loading
- Full sliding unit for easy maintenance
- 15kg storage container for 6 to 24 hours of operating time without refilling
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional*)

PELLET INSERT STOVE

OUTPUT:

EFFICIENCY: 90%

11kW

ENERGY CLASS: A+

FINISH AVAILABLE: Black



*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 11kW - Insert stove	650	802	655	80	





ELM 20

PELLET BOILER STOVE

ACHILL 17.5

BOILER - INSERT

Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- 25 kg storage container for 6 to 31 hours of operating time without refilling
- Enhanced thermal exchanger
- 22L Boiler Capacity
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional)

*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

OUTPUT ROOM:	3.2kW
OUTPUT WATER:	16.8kW
EFFICIENCY:	89.5%
ENERGY CLASS:	A+
FINISH AVAILABLE:	Black
	Red



*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 20kW pellet boiler - freestanding	1043	534	590	80	

The Achill 17.5 stove is a multi fuel eco boiler insert, delivering warmth and comfort to your home. It is primarily designed to heat water to radiators.

We would strongly recommend that a radiator is fitted in the room where the stove is installed, to maximize heat output to the area. If you feel the heat output to the room is too high, turn off radiator for that room.





*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

DIMENSIONS	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
Achill 17.5 Eco Boiler - insert	634	626	151	525	529





DRUID

BOILER - FREESTANDING

The Druid Boiler stove seamlessly combines style and functionality, with new boiler options ranging from 12kW to 21kW.

Class A+ energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room.

Designed for versatility, the Druid stove is a multi-fuel appliance featuring an external air connection, offering a warm and more comfortable living environment.

 $^*\!A$ Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

OUTPUT ROOM:	

4.0kW to 5.0kW max

OUTPUT WATER: **3.8kW** to 7.0kW max

OUTPUT ROOM: OUTPUT WATER:

8.1kW to 8.1kW max **4.7kW** to 13.0kW max

EFFICIENCY:

12kW = 80.2% 21kW = 80.1%

ENERGY CLASS:

12kW













DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Druid 12 Boiler - freestanding	639	540	441	151	
Druid 21 Boiler - freestanding	690	630	555	151	





SHERWOOD

The Sherwood Boiler stove is the perfect

blend of style and performance with new

Class A+ energy rating ensures efficient

heating, while the clean and sleek design

touch to any room. The Sherwood stove

is a multi-fuel stove with an external air

connection that provides a healthier living

The cast iron door is durable and easy to clean, and the air-wash system ensures a

in a matt black finish adds an elegant

environment.

clear view of the fire.

boiler options ranging from 12kW to 21kW.

BOILER - FREESTANDING

OUTPUT ROOM: 4.0kW to 5.0kW max

12KW OUTPUT WATER: 3.8kW to 7.0kW max

OUTPUT ROOM:

8.1kW to 8.1kW max

4.7kW to 13.0kW max

EFFICIENCY:

12kW = 80.2% 21kW = 80.1%

ENERGY CLASS:

FEATURES

12kW A+

21kW

*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Sherwood 12 Boiler - freestanding	630	540	455	151	
Sherwood 21 Boiler - freestanding	660	630	556	151	

PORTIMAO 21

The Portimao models are a range of Wood Burning Cassette Stoves manufactured in southern Portugal from steel and boast excellent burn control along with an 85% plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

For proper functionality, this stove must be installed with external air.

OUTPUT WATER:

EFFICIENCY:

ENERGY CLASS:

A+

FINISH AVAILABLE:

Matt Black

6.0kW to 7 kW max

BOILER - CASSETTE

OUTPUT ROOM:



*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT
Portimao 21kW Boiler - cassette	553	697	535	194	950

HENLEY STOVES ACCESSORIES HENLEY STOVES ACCESSORIES

Natural Stone Tiles

Bring the charm of the outdoors into your home with our natural stone tiles. A distinctive and popular choice to incorporate into both contemporary & traditional design projects.

Choose from our range of 4 styles of stone tiles to create a superior natural feature for your home.



OYSTER SLATE VS-01

BLACK GRANITE VS-03





Wood-Effect Beams

Our wood-effect beams are manufactured from a non-combustible material & finished with a water-based stain. Currently available in 2 charming shades of oak. These designs are perfect for any interior design project.

Available in: 1220mm x 150mm x 150mm Available in: 1372mm x 150mm x 150mm








Splayed Black Granite Hearths

Sizes Available


CODE	WIDTH	LENGTH	RISER
HR007	36" (915mm)	30" (762mm)	2" (50mm)



Curved Black Granite Hearth with Chamfer

Sizes Available

CODE	WIDTH	LENGTH	HEIGHT
HR009	36" (914mm)	12" (305mm)	30mm extension piece
HR006	36" (914mm)	30" (762mm)	30mm slab chamfer




Black Granite Hearth Extension Piece

Sizes Available

CODE	WIDTH	LENGTH	RISER
HR002	36" (914mm)	14" (355mm)	3" (75mm)


- Curved Hearth Extension
- Perfect for adding depth to your existing hearth



Curved Black Granite Hearths

Sizes Available


CODE	WIDTH	LENGTH	RISER
HR004	36" (914mm)	24" (610mm)	3" (75mm)
HR005	36" (914mm)	29" (736mm)	3" (75mm)
HR008	36" (914mm)	36" (914mm)	3" (75mm)
HR014	54 " (1372mm)	24" (610mm)	3" (75mm)
HR016	54 " (1372mm)	29" (736mm)	3" (75mm)
HR022	60" (1524mm)	24" (610mm)	3" (75mm)
HR024	60" (1524mm)	29" (736mm)	3" (75mm)



Teardrop Polished & Honed Black Granite Hearths

Sizes Available


CODE	WIDTH	LENGTH	HEIGHT	
HR033	800mm	800mm	30mm	Polished
HR035	900mm	900mm	30mm	Polished
HR052	800mm	800mm	30mm	Honed
HR053	900mm	900mm	30mm	Honed



Circle Polished & Honed Black Granite Hearth

Sizes Available

CODE	WIDTH	LENGTH	HEIGHT	
HR054	900mm	900mm	30mm	Polished



*ALL SIZES CORRECT AT TIME OF PUBLISHING BUT MAY BE SUBJECT TO CHANGE AT ANY TIME. ALL FINISHES MAY NOT BE AVAILABLE IN ALL STYLES OR SIZES.

*ALL SIZES CORRECT AT TIME OF PUBLISHING BUT MAY BE SUBJECT TO CHANGE AT ANY TIME. ALL FINISHES MAY NOT BE AVAILABLE IN ALL STYLES OR SIZES.

HENLEY STOVES DIMENSIONS

HENLEY STOVES DIMENSIONS

DIMENSIONS: ROOM HEATERS

	HEIGHT	WIDTH	DEPTH	FLUE			
ARAN 5KW	586mm	470mm	355mm	125mm	-	-	-
ASCOT 5KW	559mm	382mm	361mm	125mm	-	-	-
ASCOT 8KW	600mm	490mm	380mm	125mm	-	-	-
ASH 8.2KW	638mm	510mm	359mm	125mm	-	-	-
ALDERWOOD 6.7KW	623mm	550mm	335mm	125mm	-	-	-
BRACKEN 7.9KW	581mm	520mm	355mm	153mm	-	-	-
BURNBRIGHT 5KW	623mm	550mm	335mm	125mm	-	-	-
CAMBRIDGE ECO 5KW	586mm	444mm	403mm	125mm	-	-	-
DRUID 12KW ECO	639mm	540mm	390mm	153mm	-	-	-
DUNLOE 5.1KW	617mm	438mm	359mm	125mm	-	-	-
ELMWOOD 6.7KW	683mm	574mm	335mm	125mm	-	-	-
ELMWOOD COMPACT 4.9KW	574mm	444mm	310mm	125mm	-	-	-
HAZELWOOD 6.5KW DS	530mm	465mm	500mm	125mm	-	-	-
LEAF 4.9KW	500mm	420mm	335mm	125mm	-	-	-
SHERWOOD 5KW	559mm	382mm	362mm	125mm	-	-	-
SHERWOOD 8KW	585mm	490mm	350mm	125mm	-	-	-
SHERWOOD 12KW	630mm	540mm	390mm	153mm	-	-	-
SHERWOOD 10KW DS	630mm	540mm	390mm	153mm	-	-	-
THAMES 5.1KW	495mm	430mm	339mm	125mm	-	-	-
WILLOW 6.7KW	623mm	550mm	335mm	125mm	-	-	-
PORTO DOOR	620mm	525mm	-	-	-	-	-

LOGSTORE

	HEIGHT	WIDTH	DEPTH				
BURNBRIGHT	322mm	550mm	330mm	-	-	-	-
SHERWOOD 5	210mm	370mm	315mm	-	-	-	-

DIMENSIONS: INSERT & CASSETTE*

** Size given with Frame Included	HEIGHT	WIDTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	BACKBOX DEPTH
MUCKROSS - INSERT	595mm	485mm	125mm	512mm	396mm	283mm
ARKLOW - INSERT	591mm	485mm	125mm	512mm	396mm	263mm
ELMWOOD ECO - INSERT	594mm	540mm	125mm	552mm	396mm	370mm
ACHILL ECO - INSERT	595mm	485mm	125mm	552mm	396mm	370mm
** Size given with Frame Included						
ECO C400	**663mm	**512mm	125mm	552mm	400mm	342mm
ECO C550	**593mm	**662mm	125mm	482mm	550mm	342mm
ATHENS 400	**626mm	**468mm	151mm	550mm	395mm	350mm
ATHENS 500	**630mm	**577mm	151mm	555mm	500mm	350mm
LAGOS 500	**617mm	**556mm	151mm	545mm	496mm	440mm
LAGOS 600	**617mm	**656mm	151mm	545mm	596mm	440mm
PORTIMAO 700	**615mm	**757mm	151mm	545mm	696mm	440mm
PORTIMAO 900	**615mm	**955mm	151mm	545mm	896mm	440mm
PORTIMAO 900 DS	**615mm	**955mm	151mm	545mm	896mm	527mm


DIMENSIONS: OUTDOOR STOVES

	HEIGHT	WIDTH	DEPTH	FLUE			
THOR D12 OUTDOOR WL	1000mm	550mm	550mm	125mm	-	-	-
THOR D12 OUTDOOR WB	1000mm	550mm	550mm	125mm	-	-	-

DIMENSIONS: PELLET STOVES

	HEIGHT	WIDTH	DEPTH	FLUE			
BIO 80Q ROUND	900mm	510mm	480mm	80mm	-	-	-
ELM 4KW - FREESTANDING	610mm	385mm	430mm	80mm	-	-	-
ELM 8KW - FREESTANDING	909mm	435mm	460mm	80mm	-	-	-
ELM 11KW - INSERT STOVE	909mm	435mm	460mm	80mm	-	-	-

DIMENSIONS: STOVE EXAMPLES



* Please note: all cassette stove dimensions include frame unless stated otherwise. ** Measurement excludes frame. All dimensions are correct at the time of print, but may be subject to change. Please confirm exact measurements before commencing any installation works.

DIMENSIONS: BOILER STOVES

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	BACKBOX DEPTH
ELM 20KW PELLET BOILER	1043mm	534mm	590mm	80mm	-	-	-
ACHILL 17.5 BOILER	634mm	626mm	475mm	151mm	525mm	529mm	360mm
PORTIMAO 21KW BOILER	553mm	697mm	535mm	194mm	950mm	-	535mm
SHERWOOD 12 BOILER	630mm	540mm	455mm	151mm	-	-	-
SHERWOOD 21 BOILER	660mm	630mm	556mm	151mm	-	-	-
DRUID 12 BOILER	639mm	540mm	441mm	151mm	-	-	-
DRUID 21 BOILER	690mm	630mm	555mm	151mm	-	-	-

^{*} Please note: all cassette stove dimensions include frame unless stated otherwise. ** Measurement excludes frame.

All dimensions are correct at the time of print, but may be subject to change. Please confirm exact measurements before commencing any installation works.

EVERY HOME DESERVES A HENLEY

HENLEY STOVES

Address: Curraheen, Tralee, Co. Kerry, Ireland

Henley Stoves UK: Master Logistics, Ely Rd, Stretham, Ely CB6 3JJ

www.henleystoves.com, sales@henleystoves.com © 2025 Henley Stoves All Rights Reserved Local Stockist:

THE STOVE COLLECTION 2025 : VOL 1

Henley and/or its logo is a registered trademark, as registered under number 262898 with the Intellectual Property Office of Ireland. The usage is protected under Irish Law. All images are used for illustration purposes only and may differ from the actual product. Images contained within this brochure are Copyright 2025 of Henley Stoves.